

DOOSAN

Industrial Air

ROTARY AIR COMPRESSORS: D30 & D50

Oil-Flooded | Fixed Speed



Our industrial air compressors are designed to perform with larger, more durable components and simpler designs. The result? Industry-leading machines with the reliable, consistent flow output the job demands.

Put the power of air to work.

- Top tier flow rates, resulting in more air for your money
- Long life TEFC induction motors for increased uptime & decreased lifecycle cost
- Doosan ICS controller with 7" LCD screen: easy to use touchscreen with high definition color graphic display



Rugged Reliability



Energy Efficiency




Value



A Proven Name

Doosan Industrial Air delivers value.

- Equal or better performance at a significantly lower initial investment cost than other premium brands
- Robust market-leading warranties
- Aggressively-priced maintenance parts to keep your machine up and costs down
- 24/7 technical support from our team of product experts based in our Statesville, NC factory



Doosan Industrial Air - 60 Hz Performance

Model	Input Power	Nominal Power hp (kW)	Max Pressure (psig)	Capacity (cfm)*	Length (in)	Width (in)	Height (in)	Weight (lb)	Ambient Operating Range (°F)
D30	3Ph, 60Hz, 230V	30 (22)	100	128	55.1	36.6	53.1	1790	32-115
	3Ph, 60Hz, 460V	30 (22)	100	128	55.1	36.6	53.1	1790	32-115
	3Ph, 60Hz, 230V	30 (22)	125	126	55.1	36.6	53.1	1790	32-115
	3Ph, 60Hz, 460V	30 (22)	125	126	55.1	36.6	53.1	1790	32-115
	3Ph, 60Hz, 230V	30 (22)	150	111	55.1	36.6	53.1	1790	32-115
	3Ph, 60Hz, 460V	30 (22)	150	111	55.1	36.6	53.1	1790	32-115
D50	3Ph, 60Hz, 230V	50 (37)	100	237.4	65.4	40.6	63.3	2579	32-115
	3Ph, 60Hz, 460V	50 (37)	100	237.4	65.4	40.6	63.3	2579	32-115
	3Ph, 60Hz, 230V	50 (37)	125	232.7	65.4	40.6	63.3	2579	32-115
	3Ph, 60Hz, 460V	50 (37)	125	232.7	65.4	40.6	63.3	2579	32-115
	3Ph, 60Hz, 230V	50 (37)	150	205.9	65.4	40.6	63.3	2579	32-115
	3Ph, 60Hz, 460V	50 (37)	150	205.9	65.4	40.6	63.3	2579	32-115

*Unit performance measured according to ISO 1217, Annex C, latest edition.

© 2021 Doosan Portable Power. All rights reserved.

Doosan reserves the right to limit quantities, alter lead times or cancel models without prior notice or obligation. Nothing contained in this brochure intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale shall be in accordance with standard Doosan Portable Power terms and conditions of sale for such products, which are available upon request. Specifications in this brochure are subject to change without notice. Doosan® and the Doosan logo are registered trademarks of Doosan Corp. in the United States and various other countries around the world.